

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

SECURITY OF ASSISTE A FIRM OF THIS PAGE (Meen Dated offered). PEAD INSTRUCTIONS REPORT DOCUMENTATION PAGE HEFORE COMPLETING LORM t. at cont again, a GOVT ACCESSION NO I HECIPILAT'S CATALOG HUMBER 800 S. TYPE OF REPORT & PERIOD COVENED 4. TITLE (and Subtitle) Cloride Ion Conductivity in a Plasticized Interim Technical Report Quaternary Ammonium Polymer 6. PERFORMING ORG. REPORT HUMBER B. CONTRACT OR SHART HUMBER(+) N00014 80-C-0532 L. C. Hardy and D. F. Shriver 9. PERFORMING ORGANIZATION NAME AND ADDRESS 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Department of Chemistry and Materials Research Center, Northwestern University, Evanston, NR 359-746 Illinois 60201 1. CONTROLLING OFFICE NAME AND ADDRESS 12. REPORT DATE Nov. 22, 1983 Office of Naval Research Department of Navy 13. NUMBER OF PAGES 12 Arlington, Virginia 22217 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) 15. SECURITY CLASS. (of this report) 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release and sale. Distribution unlimited. 17. DISTRIBUTION STATEMENT (of the obstract entered in Block 20, If different from Report) 18. SUPPLEMENTARY NOTES Submitted to Macromolecules 19. KEY WORDS (Continue on severse elde if necessary and identify by block number) Solid electrolytes, polymer electrolytes poly(diallyldimethylammonium chloride), plasticizer, chloride ion conductivity sierin 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Chloride ion conductivity in anhydrous, plasticized, quaternary ammonium

polymer solid electrolytes is studied. Curved plots of ln(eT) vs. 1/T indicate that transport of ions in these materials may be described by WLF-type equations, AC complex impedance measurements for the ranges 5 Hz-500 kHz and 26-98°C with ion-blocking Pt electrodes and ion-reversible calomel

electrodes show that the chloride ion is mobile. Conductivities measured range from 7×10^{-3} to 3×10^{-4} and temperature conductivities measured and temperature

DD 1 JAN 73 1473 EDITION OF 1 NOV AS IS DESOLETE 1 OF ME / CM

SECURITY CLASSIFICATION OF THIS PAGE (When Plate Enterent

. C3 1

OFFICE OF NAVAL RESEARCH

Contract NO0014-80-C-0532

Task No. NR 359-746

TECHNICAL REPORT NO. 08

Chloride Ion Conductivity in a Plasticized Quaternary

Ammonium Polymer

by

L. C. Hardy and D. F. Shriver


Prepared for Publication

in

Macromolecules

Northwestern University Department of Chemistry Evanston, Ill. 60201

November 22, 1983



Reproduction in whole or in part is permitted for any purpose of the United States Government

This document has been approved for public release and sale; its distribution is unlimited

Chloride Ion Conductivity in a Plasticized Quaternary Ammonium Polymer

L. C. Hardy and D. F. Shriver

Department of Chemistry and Materials Research Center

Northwestern University, Evanston, IL 60201

Solvent-free polymer electrolytes^{1,2} have generated much interest owing to their possible use in high energy density batteries. Most research in this area has focused on alkali metal ion conduction in solid electrolytes formed by alkali metal salts and poly(ethylene oxide)³ or poly(propylene oxide).² Although cation transport has been substantiated by use of reversible cation electrodes, i.e. alkali metals,⁴⁻⁶ intercalates,¹ and sodium amalgam,⁷ charge transport by anions may be substantial.^{5,6} Here we report the first studies of fast anion conduction in solid polymer electrolytes, poly(diallyldimethyl-ammonium chloride), DDAC, plasticized with poly(ethylene glycol), PEG (average MW = 300). In these anhydrous electrolytes, the positive charge is anchored in the polymer backbone. Thus the DC electrical properties displayed by these conductors are clearly attributable to the anion.

An important motivating factor for the use of DDAC is that the positive quaternary nitrogen is surrounded by four alkyl groups, thus separating the opposite charges and reducing tight ion pairing. Tight ion pairing has been shown to significantly reduce the mobility of charge carriers in solid polymer electrolytes.8

Use of plasticizers in polymers is known to increase polymer chain flexibility, increase free volume, and decrease the glass transition temperature, Tg. These changes are also known to increase ionic conductivity in solid electrolytes. 9,10 Therefore, the present research was designed to investigate the possibility that plasticizers might increase the ionic conductivity of the polyelectrolyte DDAC.

The conductivity, σ , of pure, brittle DDAC at 25°C was not measurable on our instruments, which indicates a conductivity much less than 10^{-9} Ω^{-1} cm⁻¹. A number of esters and ethers were tested for compatiblity as plasticizers. Brittle, cloudy-white films resulted when mixtures of DDAC with disodecylphthalate, dibutylphthalate, dibutylsebacate, tetraethyleneglycoldimethylether, poly(ethylene oxide), or poly(vinyl alcohol) (88% hydrolyzed) were cast from methanol or methanol/water solutions at 25 or 60°C. Segregation of the plasticizer also occurred in some cases. The only plasticizer found to be effective was PEG (av. MW = 300). Since the similar compound tetraethylene glycol dimethylether was incompatible, the hydroxyl groups on the polyether must play an important role in the plasticizing interaction. This hypothesis is substantiated by IR spectroscopy which shows that the O-H stretch for pure PEG is lowered from ~ 3400 cm⁻¹ to ~ 3240 cm⁻¹ when mixed with DDAC in a ratio of one hydroxyl group to two chloride ions. This behavior suggests hydrogenbonding to the more electronegative chloride ion in preference to hydrogenbonding with the oxygen such as found in pure PEG. Evidence for similar plasticizing behavior has been reported for sodium styrene sulfonate groups and glycerol. 11

Standard inert atmosphere techniques were used in the preparation and study of these electrolytes because water appears to displace the glycol from.

the plasticized polymer. After preparation from nominally dry materials, the last traces of water were removed by vacuum drying of films. This treatment leads to the disappearance of the H-O-H deformation at $^{-1630}$ cm $^{-1}$ in the infrared spectra. This band reappears when the sample is exposed to atmospheric moisture. Films with 0.32, 0.48 and 0.65 weight fractions of PEG were made and these correspond to mole ratios of chloride ion to hydroxyl group of 2, 1 and 0.67, respectively. These films are clear and flexible at room temperature. Differential scanning calorimetry (20°C/min) indicates that T_g is -37 ± 2 °C for all three mole ratios. No endotherms are observed for the melting of pure PEG in these electrolytes. Polarized optical microscopy also indicates that the films are amorphous.

AC complex impedance data collected over the frequency range of 10 Hz-500 kHz with platinum ion-blocking electrodes were used to calculate bulk conductivity of samples. The variable temperature electrical conductivity data yield curved plots of $\ln(\sigma T)$ vs. 1/T, Figure 1. This behavior, which is similar to that of diffusion of small molecules through polymers, has been seen previously for other polymer electrolytes. 2 , 12 Transport of ions in these materials may be described by WLF-type equations rather than the Arrhenius $\log (2,10,13)$ Conductivity increases as the amount of plasticizer in the electrolyte increases, see Table 1.

Plots of ϵ' and ϵ'' vs. frequency with ion-blocking electrodes are shown in Figure 2. As frequency decreases, interfacial polarization of the ionic conductor increases which results in a continuously increasing dielectric constant as has been predicted by theory, 14 and has been reported for inorganic solid electrolytes. 15,16 Therefore, the reported dielectric constants

are due to double layer capacitances rather than molecular dipoles. According to the theory, 14 at low frequencies the internal field of the electrolyte equally opposes the applied field and no further polarization occurs so the ε' curve flattens out. The beginning of this behavior is seen in the high temperature plot. The absence of maxima in the ε'' plots, above 10 Hz, in conjunction with other data indicates that the frequency response over the frequency range studied is due to ion motion rather than molecular relaxations such as the rotation of an -OH group. High dielectric constants also have been reported for solid electrolytes formed between poly(ethylene oxide) and alkali metal salts. 17

Complex impedance plots are typical of those seen for ionic conductors with ion-blocking electrodes, Figure 3a. In particular, the spur found at low frequencies is ascribed to double layer capacitance in a cell with an ion blocking electrode configuration. 18

To provide a definitive assignment of the low frequency spur, calomel electrodes were employed in a second set of complex impedance experiments. The spur seen previously for ion-blocking electrodes is now converted to an arc, Figure 3b. According to impedance/frequency response theory, 18 this arc can be ascribed to charge transfer resistance at the chloride ion reversible electrode. This type of response is well characterized for other polymer electrolyte systems with cation reversible electrodes. 5,6

The present work demonstrates that conductivity due to anion transport in a solvent-free polymer system can be on the same order of magnitude as that found for poly(ethylene oxide)-alkali metal salt systems. The electrical properties characterized in the present system may be attributed solely to the anion since the positive counter charge is anchored in the polymer backbone.

Acknowledgment. This research was partially supported by a grant from the Office of Naval Research. L.C.H. was the recipient of a DOE summer research fellowship administered by the Electrochemical Society. We appreciate helpful discussions with M. A. Ratner.

References

- 1. Armand, M. B. Proceedings of the Workshop on Lithium Nonaqueous Battery Electrochemistry, Cleveland, Ohio, June, 1980; pp 261-270.
- 2. Armand, M. B.; Chabagno, J. M.; Duclot, M. J. In "Fast Ion Transport in Solids"; Vashishta, P., Mundy, J. N., Shenoy, G. K., Eds.; North-Holland: New York, 1979; pp. 131-136.
- 3. Wright, P. V. Br. Polym. J. 1975, 7, 319-327.
- 4. Weston, J. E.; Steele, B. C. H. Solid State Ionics 1982, 7, 75-79.
- 5. Weston, J. E.; Steele, B. C. H. Solid State Ionics 1982, 7, 81-88.
- 6. Sørensen, P. R.; Jacobsen, T. <u>Electrochim. Acta 1982</u>, 27, 1671-1675.
- Dupon, R. W.; Whitmore, D. H.; Shriver, D. F. J. Electrochem. Soc. 1981, 128, 715-717.
- Dupon, R. W.; Papke, B. L.; Ratner, M. A.; Whitmore, D. H.; Shriver, D. F.
 J. Am. Chem. Soc. 1982, 104, 6247-6251.
- 9. Killis, A.; LeWest, J.-F.; Cheradame, H.; Gandini, A.; <u>Makromol. Chem.</u>
 1982, 183, 2835-2845.
- 10. Papke, B. L.; Ratner, M. A.; Shriver, D. F. J. <u>Electrochem. Soc.</u> 1982, 129, 1694-1701.
- 11. Lundberg, R. D.; Makowski, H. S.; Westerman, L. In "Ions in Polymers"; Eisenberg, A., Ed.; American Chemical Society, Washington, D. C., 1980; pp. 67-76.
- 12. Stainer, M.; Hardy, L. C.; Whitmore, D. H.; Shriver, D. F. J. Electrochem.

 Soc., in press.
- 13. Arai, K.; Eisenberg, A. J. Macromol. Sci. Phys. 1980, B17, 803-832.
- 14. Lines, M. E. Phys. Rev. B: Condens, Matter 1979, 19, 1189-1195.

- 15. Armstrong, R. D.: Taylor, K. J. Electroanal. Chem. 1975, 63, 9-17.
- 16. Hodge, I. M.; Ingram, M. D.; West, A. R. J. Am. Ceram. Soc. 1976, 59, 360-366.
- 17. Fontanella, J. J.; Wintersgill, M. C.; Calame, J. P.; Andeen, C. G. Solid

 ... State Ionics 1983, 8, 333-339.
- 18. Macdonald, J. R. J. Chem. Phys. 1974, 61, 3977-3996.

Table 1

Mole ratio	Conductivit	ity (Ω^{-1} cm ⁻¹)	
Cl : hydroxyl	26°C	98°C	
2:1	7 x 10 ⁻⁸	1 × 10 ⁻⁵	
1:1	4×10^{-6}	1×10^{-4}	
0.67:1	1×10^{-5}	3 × 10 ⁻⁴	


Figure Captions


- Figure 1. Ionic conductivity, o(Ω⁻¹ cm⁻¹), versus temperature plotted as ln(oT) vs. 1000/T, for various mole ratios of chloride ion in polymer to hydroxyl group in plasticizer: Δ, 2:1; □, 1:1; O, 0.67:1.
- Figure 2. Plots of log dielectric constant, ε', and log dielectric loss, ε",


 vs. log frequency in Hertz for the 2:1 chloride to hydroxyl

 electrolyte at various temperatures: ♦, 26°C; O, 41°C; □, 60°C;

 +, 79°C; Δ, 98°C.
- Figure 3. Plots of the imaginary part vs. the real part of the impedance (Z) for the 2:1 chloride to hydroxyl electrolyte at 60°C. Frequencies (5 Hz 500 kHz) are listed next to the data points. a) With Pt electrodes. b) With Hg/Hg₂Cl₂, calomel, electrodes.







DL/413/83/01 GEN/413-2

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	No. Copies		No. Copies
Office of Naval Research Attn: Code 413 800 N. Quincy Street Arlington, Virginia 22217	2	Naval Ocean Systems Center Attn: Technical Library San Diego, California 92152	1
ONR Pasadena Detachment Attn: Dr. R. J. Marcus 1030 East Green Street Pasadena, California 91106	1 .	Naval Weapons Center Attn: Dr. A. B. Amster Chemistry Division China Lake, California 93555	1
Commander. Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Washington, D.C. 20360	1	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401	1	Dean William Tolles Naval Postgraduate School Monterey, California 93940	1 -
Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375	1	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, NC 27709	1
Defens: Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12	Mr. Vincent Schaper DTNSRDC Code 2830 Annapolis, Maryland 21402	1
DTNSRDC Attn: Dr. G. Bosmajian Applied Chemistry Division Annapolis, Maryland 21401	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia. Pennsylvania 19112	1
Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1	Mr. A. M. Anzalone Administrative Librarian PLASTEC/ARRADCOM Bldg 3401 Dover, New Jersey 07801	1

Dr. Paul Delahay Department of Chemistry New York University New York, New York 10003

Dr. P. J. Hendra Department of Chemistry University of Southampton Southampton SO9 5NH United Kingdom

Dr. T. Katan Lockheed Missiles and Space Co., Inc. P.O. Box 504 Sunnyvale, California 94088

Dr. D. N. Bennion Department of Chemical Engineering Brighma Young University Provo, Utah 84602

Dr. R. A. Marcus Department of Chemistry California Institute of Technology Pasadena, California 91125

Mr. Joseph McCartney Code 7121 Naval Ocean Systems Center San Diego, California 92152

Dr. J. J. Auborn
Bell Laboratories
Murray Hill, New Jersey 07974

Dr. Joseph Singer, Code 302-1 NASA-Lewis 21000 Brookpark Road Cleveland, Ohio 44135

Dr. P. P. Schmidt Department of Chemistry Oakland University Rochester, Michigan 48063

Dr. H. Richtol Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181 Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 44106

Dr. C. E. Mueller The Electrochemistry Branch Naval Surface Weapons Center White Oak Laboratory Silver Spring, Maryland 20910

Dr. Sam Perone Chemistry & Materials Science Department Lawrence Livermore National Lab. Livermore, California 94550

Dr. Royce W. Murray Department of Chemistry University of North Carolina Chapel Hill, North Carolina 27514

Dr. G. Goodman Johnson Controls 5757 North Green Bay Avenue Milwaukee, Wisconsin 53201

Dr. B. Brummer EIC Incorporated 111 Chapel Street Newton, Massachusetts 02158

Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974

Electrochimica Corporation Attn: Technical Library 2485 Charleston Road Mountain View, California 94040

Library Duracell, Inc. Burlington, Massachusetts 01803

Dr. A. B. Ellis Chemistry Department University of Wisconsin Madison, Wisconsin 53706

Dr. M. Wrighton
Chemistry Department
Massachusetts Institute
of Technology
Cambridge, Massachusetts 02139

Dr. B. Stanley Pons Department of Chemistry University of Utah Salt Lake City, Utah 84112

Donald E. Mains
Naval Weapons Support Center
Electrochemical Power Sources Division
Crane, Indiana 47522

S. Ruby DOE (STOR) M.S. 6B025 Forrestal Bldg. Washington, D.C. 20595

Dr. A. J. Bard Department of Chemistry University of Texas Austin, Texas 78712

Dr. Janet Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. Donald W. Ernst Naval Surface Weapons Center Code R-33 White Oak Laboratory Silver Spring, Maryland 20910

Mr. James R. Moden Naval Underwater Systems Center Code 3632 Newport, Rhode Island 02840

Dr. Bernard Spielvogel U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709

Dr. William Ayers ECD Inc. P.O. Box 5357 North Branch, New Jersey 08876 Dr. M. M. Nicholson Electronics Research Center Rockwell International 3370 Miraloma Avenue Anaheim, California

Dr. Michael J. Weaver Department of Chemistry Purdue University West Lafayette, Indiana 47907

Dr. R. David Rauh EIC Corporation 111 Chapel Street Newton, Massachusetts 02158

Dr. Aaron Wold Department of Chemistry Brown University Providence, Rhode Island 02192

Dr. Martin Fleischmann
Department of Chemistry
University of Southampton
Southampton SO9 5NH ENGLAND

Dr. R. A. Osteryoung Department of Chemistry State University of New York Buffalo, New York 14214

Dr. Denton Elliott
Air Force Office of Scientific
Research
Bolling AFB
Washington, D.C. 20332

Dr. R. Nowak Naval Research Laboratory Code 6130 Washington, D.C. 20375

Dr. D. F. Shriver
Department of Chemistry
Northwestern University
Evanston, Illinois 60201

Dr. Aaron Fletcher Naval Weapons Center Code 3852 China Lake, California 93555

Dr. David Aikens Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181

Dr. A. P. B. Lever Chemistry Department York University . Downsview, Ontario M3J1P3

Dr. Stanislaw Szpak Naval Ocean Systems Center Code 6343, Bayside San Diego, California 95152

Dr. Gregory Farrington
Department of Materials Science
and Engineering
University of Pennsylvania
Philadelphia, Pennsylvania 19104

M. L. Robertson
Manager, Electrochemical
and Power Sources Division
Naval Weapons Support Center
Crane, Indiana 47522

Dr. T. Marks Department of Chemistry Northwestern University Evanston, Illinois 60201

Dr. Micha Tomkiewicz Department of Physics Brooklyn College Brooklyn, New York 11210

Dr. Lesser Blum Department of Physics University of Puerto Rico Rio Piedras, Puerto Rico 00931

Dr. Joseph Gordon, II IBM Corporation K33/281 5600 Cottle Road San Jose, California 95193 Dr. D. H. Whitmore Department of Materials Science Northwestern University Evanston, Illinois 60201

Dr. Alan Bewick Department of Chemistry The University of Southampton Southampton, SO9 5NH ENGLAND

Dr. E. Anderson NAVSEA-56Z33 NC #4 2541 Jefferson Davis Highway Arlington, Virginia 20362

Dr. Bruce Dunn
Department of Engineering &
Applied Science
University of California
Los Angeles, California 90024

Dr. Elton Cairns
Energy & Environment Division
Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

Dr. D. Cipris
Allied Corporation
P.O. Box 3000R
Morristown, New Jersey 07960

Dr. M. Philpott
IBM Corporation
5600 Cottle Road
San Jose, California 95193

Dr. Donald Sandstrom
Department of Physics
Washington State University
Pullman, Washington 99164

Dr. Carl Kannewurf
Department of Electrical Engineering
and Computer Science
Northwestern University
Evanston, Illinois 60201

Dr. Robert Somoano Jet Propulsion Laboratory California Institute of Technology Pasadena, California 91103

Dr. Johann A. Joebstl USA Mobility Equipment R&D Command DRDME-EC Fort Belvoir, Virginia 22060

Dr. Judith H. Ambrus NASA Headquarters M.S. RTS-6 Washington, D.C. 20546

Dr. Albert R. Landgrebe U.S. Department of Energy M.S. 6B025 Forrestal Building Washington, D.C. 20595

Dr. J. J. Brophy
Department of Physics
University of Utah
Salt Lake City, Utah 84112

Dr. Charles Martin
Department of Chemistry
Texas A&M University
College Station, Texas 77843

Dr. H. Tachikawa Department of Chemistry Jackson State University Jackson, Mississippi 39217

Dr. Theodore Beck Electrochemical Technology Corp. 3935 Leary Way N.W. Seattle, Washington 98107

Dr. Farrell Lytle
Boeing Engineering and
Construction Engineers
P.O. Box 3707
Seattle, Washington 98124

Dr. Robert Gotscholl U.S. Department of Energy MS G-226 Washington, D.C. 20545 Dr. Edward Fletcher Department of Mechanical Engineering University of Minnesota Minneapolis, Minnesota 55455

Dr. John Fontanella Department of Physics U.S. Naval Academy Annapolis, Maryland 21402

Or. Martha Greenblatt
Department of Chemistry
Rutgers University
New Brunswick, New Jersey 08903

Dr. John Wasson Syntheco, Inc. Rte 6 - Industrial Pike Road Gastonia, North Carolina 28052

Dr. Walter Roth Department of Physics State University of New York Albany, New York 12222

Dr. Anthony Sammells Eltron Research Inc. 710 E. Ogden Avenue #108 Naperville, Illinois 60540

Dr. W. M. Risen Department of Chemistry Brown University Providence, Rhode Island 02192

Dr. C. A. Angell Department of Chemistry Purdue University West Lafayette, Indiana 47907

Dr. Thomas Davis
Polymer Science and Standards
Division
National Bureau of Standards
Washington, D.C. 20234

DATE